

Bale Handling Equipment

Front Loader Bale Handling Equipment

Available models in this range are:

- Square Bale Handler (SQBH)
- Big Bale Grabber (BGRAB)
- Round Bale STacker (BBSTAC)
- Front Loader Spike (FLS)

Square Bale Handler (SQBH)



- Variable chamber for different size bales
- Strong robust structural box frame for heavy workload
- Large diameter clamping bar for safe transport of bales
- Unique double action clamping arm for easy stacking
- Heavy duty double acting hydraulic cylinder for positive grip.
- Simple adjustment to suit bales from 0.7m (2ft 4 inch) – 1.2m(4ft)
- 1.2m (4ft) Settings for straw bale only

Bale Handling Equipment

Big Bale Grabber (BGRAB)



- Large diameter 75mm clamping arms, grab a larger proportion of the bale than any other grabber, giving more positive grip and better bale protection
- Strong enough to be used on a mechanical handler, light enough to be used on a tractor loader
- Removal of simple locking pin, allows for free movement of both arms for better bale protection when stacking bales close together.

Bale Handling Equipment

Round Bale Stacker (BBSTAC)



- Large domed 90mm revolving arms protect the plastic when collecting and stacking bales.
- Roller arms are bushed and have concealed grease points
- Bull bar protects the tractor and driver when loading bales at a height.
- Open bull bar protects the plastic and gives clear visibility for collecting the bale.
- All pivot points are bushed and fitted with grease points for smooth operation.
- Copes easily with mis-shaped bales
- Roller arms can be easily removed to reveal 2 spikes for transporting 1 bale of silage or 2 bales of straw

Bale Handling Equipment

Front loader spike (FLS)



- The Fleming twin tine Bale Spike is designed to pierce the bale of straw or silage 300mm (12") below the centre of the bale so that the main weight of the bale is supported by the heavy duty tines for secure and safe transport.
- Tine sockets are bushed into a heavy duty structural box frame for secured strength in operation.