

Hydraulic Transport Boxes

Hydraulic Transport Boxes

Fleming Agri-Products are the largest manufacturer of Hydraulic transport boxes in the UK and Ireland. The evolution of the Fleming range of hydraulic transport boxes started over 20 years ago to satisfy a need for a utility machine that could take advantage of the higher horse power 4 wheel drive tractors that were becoming more common on the modern farming scene. There was a need for a general purpose unit that could move/scrape/push/spread/fill bulk material such as stones, gravel, rubble, soil, muck etc as well as being used as a general purpose transport box.

Designed and manufactured from high quality steel and finished with a 5 stage painting process culminating in oven curing for a hard wearing finish. The Fleming Hydraulic transport box has an easily operated hydraulic tipping hitch mechanism on a reinforced fabricated body allowing the easy loading and unloading of loose farm/parkland materials without the need for a back door.



Hydraulic Transport Boxes

Hydraulic Compact Transport Boxes (HYD4C, HYD5C)




- 5 stage painting and heat treatment process
- To suit tractors from 15–60 Horse Power
- Solid construction of reinforced 3mm steel plate
- Robust hydraulic loading & tipping hitch mechanism
- Heavy duty double acting ram
- Require D/A spool valve
- Range of 3PL settings to suit most tractors
- Double jaw lift arm pin support
- Cat 1 Pins supplied
- Internal reinforcing shoes tie the strength of the floor to the cross beams on the back of the box creating a solid back plate to absorb the force of the tractor. The reinforcing shoes have smooth rounded edges for easy unloading and cleaning
- The heel of the box is fitted with a scraping blade, supported by the floor skids further adding reinforcing strength to the back of the box and giving the capability of grading and levelling stones, sand, soil ,etc.

Code	Weight (kg)	Width (mm)	Height (mm)	Depth (mm)	Capacity (cu.m)	Max H.P	Body Material (mm)	Lift Pin
HYD4C	129	1260	510	640	.34	50	3	cat.1
HYD5C	140	1510	510	640	.43	55	3	cat.1

Hydraulic Transport Boxes

Hydraulic Transport Boxes



- To suit tractors from 60–130 Horse Power
- Solid construction of reinforced steel plate
- Heavy duty hydraulic loading & tipping hitch mechanism.
- Heavy duty double acting ram.
- Require D/A spool valve.
- Reinforced floor and nose plate for loading and scraping.
- Range of 3PL settings to suit most tractors
- Double jaw lift arm pin support
- Cat 2 lift arm pins.
- Internal reinforcing shoes tie the strength of the floor to the cross beams on the back of the box creating a solid back plate to absorb the force of high horse power tractors. The reinforcing shoes have smooth rounded edges for easy unloading and cleaning.
- The 5mm thick folded form of the box has 2 internal reinforcing beams across the back of the body eliminating any flexing when the box is under heavy load. The heel of the box is fitted with a scraping blade, supported by the floor skids further adding reinforcing strength to the back of the box and giving the capability of grading and levelling stones, sand, soil ,etc.

Code	Weight (kg)	Width (mm)	Height (mm)	Depth (mm)	Capacity (cu.m)	Max H.P	Body Material (mm)	Lift Pin
HYD5	267	1510	610	930	.54	80	5	cat.2
HYD6	296	1830	610	930	.66	100	5	cat.2
HYD66	311	2000	610	930	.72	100	5	cat.2
HYD7	380	2170	610	930	.78	130	6	cat.2