

Wireless Digital Reversing Camera System

with 7" LCD Monitor & 1 Camera

- Wireless supervision technology adapted for the farming environment- robust, waterproof & practical
- Digital transmission technology guarantees a stable and interference free picture
- Easy to install - easy to use
- Up to 4 cameras can be used
- 12V / 24V
- Single camera or all 4 on screen or rotate camera views
- Audio: Yes

Features:

- 1 x TFT LCD Digital Wireless 7" colour Monitor with wide angle view and high resolution display: S.28803
- 1 x LED day/night Digital Wireless Camera IP69K with antenna: S.28802
- 2 x kit options for mounting the screen
- 1 x Cable direct power for the monitor.
- 1 x remote to the screen
- 1 x Sun Visor
- 1 x Manual
- Up to 4 cameras can be used
- Monitor & Camera operates from 10 - 32V. Supports 12V or 24V.
- Monitor has integrated speaker
- Volume Control
- Brightness, contrast and tint adjustment
- Automatic scanning function
- Automatically switches to reverse, left, right or forward camera view
- High screen resolution : 30 frames / second
- Distance Grid screen display: Yes

Composition of the kit:

- 1 x TFT LCD Digital Wireless 7" colour Monitor with wide angle view and high resolution display: S.28803
- 1 x LED day/night Digital Wireless Camera IP69K with antenna: S.28802
- 2 x kit options for mounting the screen
- 1 x Cable direct power for the monitor.
- 1 x remote to the screen
- 1 x Sun Visor
- 1 x Manual

Accessories:

- S.28802: Wireless Camera IP69K with antenna
- S.28803: Digital LCD Screen wireless high resolution
- Option of 1, 2, 3 or 4 cameras (supplied with 1 camera, 2nd, 3rd & 4th cameras can be ordered separately)

S.28801



Wired Reversing Camera System with 7" LCD Monitor & 1 Camera

- Wired system adapted for the farming environment - robust, waterproof & practical
- Easy to install - easy to use
- This system is only suitable for use with a single camera
- 12V / 24V
- Audio: Yes

Features:

TFT LCD Wired 7" Monitor with wide angle view and high resolution display
 High Resolution: 800x3 (RGB) x 480
 Picture may be adjusted for Horizontal, Vertical, Mirror and Normal viewing
 Select from 8 languages for user operation: English, French, Portuguese, Spanish, Russian, Dutch, German, Italian
 Automatic backlight for buttons and automatic brightness control
 Full-function remote control
 Only 1 camera can be used
 Monitor & Camera operates from 10 - 32V. Supports 12V or 24V
 Monitor has integrated speaker
 Volume Control
 Brightness, contrast and tint adjustment
 Distance Grid screen display: Yes

Composition of the kit:

1 x TFT LCD 7" colour Monitor : S.23052
 1 x LED day/night Camera IP69K : S.23055
 1 x Cable harness for the monitor
 1 x Camera to Monitor cable 20 meters, 1 x bracket, 1 x Remote
 1 x Sun Visor, 1 x Manual

Accessories:

S.23055 Camera IP69K
 S.23052 LCD Monitor
 S.23031 Cable 5 meters
 S.23032 Cable 10 meters
 S.23033 Cable 20 meters
 S.23977 Flexible extension cable and quick connect Couplings



S.23051

Wired Reversing Camera System with 7" LCD Monitor & 1 Camera

- Wired system adapted for the farming environment - robust, waterproof & practical
- Easy to install - easy to use
- Up to 3 cameras can be used
- 12V / 24V
- Single camera or rotate camera views
- Audio: Yes

Features:

TFT LCD Wired 7" Monitor with wide angle view and high resolution display
 High Resolution: 800x3 (RGB) x 480
 Picture may be adjusted for Horizontal, Vertical, Mirror and Normal viewing
 Select from 8 languages for user operation: English, French, Portuguese, Spanish, Russian, Dutch, German, Italian
 Automatic backlight for buttons
 Full-function remote control
 Up to 4 cameras can be used
 Monitor & Camera operates from 10 - 32V. Supports 12V or 24V.
 Monitor has integrated speaker
 Volume Control
 Brightness, contrast and tint adjustment
 Automatic scanning function
 Automatically switches to reverse, left, right or forward camera view
 Distance Grid screen display: Yes

Composition of the kit:

1 x TFT LCD 7" colour Monitor with touch screen buttons : S.23057
 1 x LED day/night camera IP69K : S.23055
 1 x Cable harness for the monitor
 1 x 1 Camera to Monitor cable 20 meters
 1 x bracket
 1 x Remote
 1 x Sun Visor
 1 x Manual

Accessories:

S.23055 Camera IP69K
 S.23057 LCD Monitor
 S.23031 Cable 5 meters.
 S.23032 Cable 10 meters.
 S.23033 Cable 20 meters
 S.23977 Flexible extension cable and quick connect Couplings
 Option of 1, 2 or 3 cameras
 (supplied with 1 camera, 2nd & 3rd cameras can be ordered separately)



S.23053

Wired Reversing Camera System with 7" LCD Monitor

- Wired system adapted for the farming environment - robust, waterproof & practical
- Easy to install - easy to use
- Up to 4 cameras can be used
- 12V / 24V
- Single camera on all 4 on screen or rotate camera views
- Audio: Yes

Features:

See website for details

Composition of each kit:

1 x TFT LCD 7" colour Monitor with integrated display system partition: S.24618
 1 x Cable harness for the monitor, Mounting Brackets (Camera & Monitor).
 1 x Sun Visor, 1 x Manual

S.24616

2 x LED day/night Cameras IP69K : S.24619
 2 x 1 Camera to Monitor cable 20 meters : S.23033
 Option of 2, 3 or 4 cameras (supplied with 2 cameras, 3rd & 4th cameras can be ordered separately)

S.24617

4 x LED day/night Cameras IP69K : S.24619
 4 x 1 Camera to Monitor cable 20 meters : S.23033

Accessories:

S.24618 Monitor only.
 S.24619 single camera.
 S.23031 Cable 5 meters.
 S.23032 Cable 10 meters.
 S.23033 Cable 20 meters
 S.23977 Flexible extension cable and quick connect Couplings



S.24616 Wired Reversing Camera System with 7" LCD Monitor & 2 Cameras

S.24617 Wired Reversing Camera System with 7" LCD Monitor & 4 Cameras

cowCam Complete System

- The complete solution for comfortable & efficient farming
- Gives better control for automatic milking & calving leading to increased profit
- Chosen areas in the barn are overviewed comfortably from the house or via a mobile phone
- Operates up to 2 cameras
- LCD 2,5" hand held colour monitor
- Mains voltage
- LED day/ night camera
- Dustproof & waterproof - IP66
- Temp range -20°C to +50°C
- Single camera or rotate camera views
- Camera viewing angle 90°
- Audio- yes
- Up to 800 meters range (free line of sight)

Features:

The camera monitors your cattle, the signal is transmitted through the cable to the A300-antenna outside the barn. The signal is sent from barn to home via the A300-antennas. The videoLink receives the signal through the A300-antenna and retransmits it in your home for better picture quality. In your home, you can monitor your cattle comfortably, either wirelessly on the portable LCD monitor, or through a computer or TV connected to the videoLink.

Use your computer and cowCam Online to see your cattle wherever you are through the internet.

Composition of the kit:

- 1 x Wireless camera,
 - 2 x Antennas,
 - 2 x Antenna cables (25 metre & 5 metre),
 - 1 x Video Link,
 - 1 x 2.5" LCD-monitor with built in speaker,
 - 1 x Earphone - LCD-monitor,
 - 2 x AV-cables - TV/video,
 - 2 x Rechargeable batteries - LCD monitor,
 - 3 x Power adaptors,
 - 1 x cowCam Online USB-adaptor (30 day free trial included)
- Option of 1, or 2 cameras (supplied with 1 camera, 2nd camera can be ordered separately)
 S.109802 Additional Camera Kit (EU)
 S.109803 Additional Camera Kit (UK)

S.109800



Surveillance Farmcam System with Monitor & Camera

- Safe and efficient farm management!
- The Farmcam solution offers you everything you need for an overview of up to 4 areas
- Complete package for easy monitoring of barn and calving, or for general farm supervision

Features:

Operates up to 4 cameras
 LCD 7" monitor
 Mains voltage
 LED day/night camera
 Dustproof & waterproof - IP66
 Temp range -20°C to +50°C
 Single camera or all 4 on screen
 Camera viewing angle 63°
 Audio - yes
 Up to 1250 metres range (free line of sight)
 Recordable
 Zoom feature

Composition of the kit:

- 1 x Wireless digital camera,
 - 1 x 7" Touch screen LCD monitor,
 - 1 x 5V power adapter - camera,
 - 2 x Antennas & brackets - camera,
 - 1 x Antenna & bracket - monitor,
 - 1 x Antenna cable - camera (16 metres),
 - 1 x Antenna cable - camera/monitor (9 metres),
 - 1 x Antenna cable - monitor (9 metres),
 - 1 x 5V power adapter - monitor,
 - 1 x Antenna & bracket - monitor,
 - 1 x Ethernet cable, Screws for mounting
- Option of 1, 2, 3 or 4 cameras (supplied with 1 camera, 2nd, 3rd & 4th cameras can be ordered separately)
 S.109846 Additional Camera

S.109845



Digital Wireless Security Camera System

High tech security wireless monitoring and recording solution for the farm and outbuildings

- Digital wireless technology for an interference free signal
- Easy camera setup and installation with no signal cables
- Transmits further and clearer than analogue wireless systems
- Digital wireless transmission is secure and private
- View 4 different areas (with additional cameras)

Features:

Operates up to 4 digital wireless cameras

Digital wireless 7" touch screen DVR with SD card recording (SD card not supplied)

Digital wireless outdoor camera with night vision

Camera delivers up to 8 metres of effective night vision

Detachable Ethernet cable for network connection and battery charging

The touch screen DVR comes with a built-in battery perfect if you want to take it into the garden or another room and still view your camera

Plug n play remote viewing function on a Smartphone via a simple ID/PW log-in

Advanced motion detection, area selection for each camera

Scheduled and motion triggered recording

Easy to operate touch screen user interface

Up to 100 metres range (free line of sight)

Composition of the kit:

1 x TFT LCD digital wireless 7" colour monitor with wide angle view & high resolution display

1 x LED day/night digital wireless camera IP69K with antenna

2 x Kit options for mounting the screen

1 x Cable direct power for the monitor

1 x Remote to the screen

1 x Sun visor

1 x Manual

Option of 1, 2, 3 or 4 cameras

(supplied with 1 camera, 2nd, 3rd & 4th cameras can be ordered separately)

S.28787 Wireless Camera IP69K with antenna



S.28786

Your Sparex Distributor